

AMENDED

Nº 47572

APPLICATION FOR PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office..... JAN 16 1984

Returned to applicant for correction..... FEB 7 1984

Corrected application filed..... FEB 21 1984

Map filed..... FEB 21 1984

The applicant..... JOHN ABBOTT AND SHIRLEY ANN ABBOTT

STAR ROUTE BOX 8040....., of..... PAHRUMP

Street and No. or P.O. Box No.

City or Town

NEVADA 89041....., hereby make S. application for permission to appropriate the public

State and Zip Code No.

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is..... UNDERGROUND WATER SOURCE

Name of stream, lake, spring, underground or other source

PAHRUMP VALLEY ARTESIAN BASIN

2. The amount of water applied for is..... c.f.s. .0056 (3600 gal per day).....second-feet

One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet.....

3. The water to be used for..... QUAZI MUNICIPAL AND DOMESTIC

Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation, state number of acres to be irrigated.....

(b) Stockwater, state number and kinds of animals to be watered.....

(c) Other use (describe fully under "No. 12. Remarks"..... (See #12)

(d) Power:

(1) Horsepower developed.....

(2) Point of return of water to stream.....

5. The water is to be diverted from its source at the following point..... NORTHEAST QUARTER (NE $\frac{1}{4}$ ) OF THE  
SOUTHEAST QUARTER (SE $\frac{1}{4}$ ) OF SECTION 19, TOWNSHIP 21 SOUTH, RANGE 54 EAST M.D.M., OR AT A POINT WHICH THE EAST QUARTER CORNER OF SAID  
survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.  
SECTION 19, BEARS NORTH 87°13'20" EAST A DISTANCE OF 967.04 FEET.

6. Place of use..... BEING A PORTION OF THE NORTHWEST QUARTER (NW $\frac{1}{4}$ ) OF THE NORTHEAST  
Describe by legal subdivision. If on unsurveyed land, it should be so stated.  
QUARTER (NE $\frac{1}{4}$ ) OF THE SOUTHEAST QUARTER (SE $\frac{1}{4}$ ) OF SECTION 19, TOWNSHIP 21 SOUTH,  
RANGE 54 EAST M.D.M., NYE COUNTY, NEVADA.

7. Use will begin about..... JANUARY 1..... and end about..... DECEMBER 31....., of each year.

Month and Day

Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.)..... EXISTING WELL 200' DEEP, 8 5/8" CASING, A  
State manner in which water is to be diverted, i.e. diversion structure, ditches and  
1HP RED JACKET PUMP AND DISTRIBUTION CONDUIT SYSTEM  
flumes, drilled well with pump and motor, etc.

9. Estimated cost of works..... \$4000.00

10. Estimated time required to construct works EXISTING WELL 200' DEEP, 8 5/8" CASING, A  
If well completed, describe works.  
1 HP RED JACKET PUMP AND DISTRIBUTION CONDUIT SYSTEM

11. Estimated time required to complete the application of water to beneficial use. 3 YEARS

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

AN ELDERLY PERSON, REQUIRING CLOSE PROXIMITY TO OTHERS, WILL OCCUPY AN  
ADDITIONAL DWELLING, ie, TWO (2) HOMES WILL BE SERVED.

EDWARD L. SCHENET - #5492  
By s/Edward L. Schenet  
P.O. BOX 550  
PAHRUMP, NEVADA 89041

Compared bc/bl pr/bc

Protested \_\_\_\_\_

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal, and local agencies.

This permit is issued under the provisions of NRS 534.120(2) as a preferred use.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.0056 cubic feet per second, but not to exceed 0.73 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before October 24, 1986

Proof of completion of work shall be filed before November 24, 1986

Application of water to beneficial use shall be made on or before October 24, 1989

Proof of the application of water to beneficial use shall be filed on or before November 24, 1989

Map in support of proof of beneficial use shall be filed on or before \_\_\_\_\_

Completion of work filed \_\_\_\_\_ IN TESTIMONY WHEREOF, L. PETER G. MORROS  
State Engineer of Nevada, have hereunto set my hand and the seal of

Proof of beneficial use filed \_\_\_\_\_ my office, this 24th day of October

Cultural map filed \_\_\_\_\_

A.D. 19 84

Certificate No. \_\_\_\_\_ Issued \_\_\_\_\_

L. Peter G. Morros  
State Engineer

218 (Rev.)  
CANCELLED APR 28 1987 BECAUSE OF FAILURE  
OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT

L. Peter G. Morros  
State Engineer